



**Provision C.3 Data Form**

**Which Projects Must Comply with Stormwater Requirements?**

**All projects** that create and/or replace **10,000 sq. ft.** or more of impervious surface on the project site must fill out this worksheet and submit it with the development project application.

**All restaurants, auto service facilities, retail gasoline outlets, and uncovered parking lot projects** (stand-alone or part of another development project, including the top uncovered portion of parking structures) that create and/or replace **5,000 sq. ft.** or more of impervious surface on the project site must also fill out this worksheet.

Interior remodeling projects, routine maintenance or repair projects such as re-roofing and re-paving, and single family homes that are not part of a larger plan of development are **NOT** required to complete this worksheet.

**What is an Impervious Surface?**

An impervious surface is a surface covering or pavement that prevents the land's natural ability to absorb and infiltrate rainfall/stormwater. Impervious surfaces include, but are not limited to rooftops, walkways, paved patios, driveways, parking lots, storage areas, impervious concrete and asphalt, and any other continuous watertight pavement or covering. Pervious pavement, underlain with pervious soil or pervious storage material (e.g., drain rock), that infiltrates rainfall at a rate equal to or greater than surrounding unpaved areas OR that stores and infiltrates the water quality design volume specified in Provision C.3.d of the Municipal Regional Stormwater Permit (MRP), is not considered an impervious surface.

**For More Information**

For more information regarding selection of Best Management Practices for stormwater pollution prevention or stormwater treatment contact: \_\_\_\_\_

**1. Project Information**

**Project Name:** \_\_\_\_\_ **APN #** \_\_\_\_\_

**Project Address:** \_\_\_\_\_

**Cross Streets:** \_\_\_\_\_

**Applicant/Developer Name:** \_\_\_\_\_

**Project Phase(s):** \_\_\_\_\_ **of** \_\_\_\_\_ **Engineer:** \_\_\_\_\_

**Project Type (Check all that apply):**  New Development  Redevelopment

Private  Public

Residential  Commercial  Industrial  Mixed Use  Institutional

Restaurant  Uncovered Parking  Retail Gas Outlet  Auto Service (SIC code) \_\_\_\_\_

Other \_\_\_\_\_ (5013-5014, 5541, 7532-7534, 7536-7539)

**Project Description:** \_\_\_\_\_

**Project Watershed/Receiving Water (creek, river or bay):** \_\_\_\_\_

## 2. Project Size

<b>a. Total Site Area:</b> _____ acre		<b>b. Total Site Area Disturbed:</b> _____ acre (including clearing, grading, or excavating)			
<i>Impervious Area<sup>1</sup> (IA)</i>	<b>Pre-project (Existing) IA (ft<sup>2</sup>)</b>	<b>Existing IA Retained As-is (ft<sup>2</sup>) (x)</b>	<b>Existing IA Replaced with IA (ft<sup>2</sup>) (y)</b>	<b>New IA Created (ft<sup>2</sup>) (z)</b>	<b>Total Post-Project IA (ft<sup>2</sup>) (x+y+z)</b>
Roof					
Surface Parking					
Sidewalks, streets, etc.					
<b>c. Total Impervious Area</b>					
<b>d. Total new and replaced impervious area</b>					
<i>Pervious Area (PA)</i>	<b>Pre-project (Existing) PA (ft<sup>2</sup>)</b>				<b>Total Post-Project PA (ft<sup>2</sup>)</b>
Landscaping <sup>2</sup>					
Pervious Paving					
Other (e.g. Green Roof)					
<b>e. Total Pervious Area</b>					
<b>f. Total Area (IA+PA)</b>					
<b>g. Percent Replacement of IA in Redevelopment Projects</b> (Total Existing IA Replaced with IA ÷ Total Existing IA) x 100% = _____ %					

### 3. State Construction General Permit Applicability:

a. Is #2.b. equal to 1 acre or more?

- Yes, applicant must obtain coverage under the State Construction General Permit (see [www.swrcb.ca.gov/water\\_issues/programs/stormwater/construction.shtml](http://www.swrcb.ca.gov/water_issues/programs/stormwater/construction.shtml) for details).
- No, applicant does not need coverage under the State Construction General Permit.

### 4. MRP Provision C.3 Applicability:

a. Is #2.d. equal to **10,000** sq. ft. or more, or **5,000** sq. ft. or more for restaurants, auto service facilities, retail gas outlets, and stand-alone uncovered parking?

- Yes, C.3. source control, site design and treatment requirements apply
- No, C.3. source control and site design requirements may apply – check with local agency

b. For redevelopment projects, is #2.g. equal to 50% or more?

- Yes, C.3. requirements (site design and source control, as appropriate, and stormwater treatment) apply to the entire site
- No, C.3. requirements only apply to the impervious area created and/or replaced

### 5. Hydromodification Management (HM) Applicability:

a. Does the project create and/or replace one acre or more of impervious surface AND is the total post-project impervious area greater than the pre-project (existing) impervious area?

- Yes (continue)  No – exempt from HM, go to page 3

b. Is the project located in an area of HM applicability (green area) on the HM Applicability Map? ( [www.scvurppp-w2k.com/hmp\\_maps.htm](http://www.scvurppp-w2k.com/hmp_maps.htm) )

- Yes, the project must implement HM requirements
- No, the project is exempt from HM requirements

<sup>1</sup> The “new” and “replaced” IA are based on the total area of the site and not specific locations on site. “Retained” means to leave existing IA in place. “Replaced” means to reconstruct IA where existing IA is removed. “New” IA is the quantity of IA that exceeds “Existing” IA at the site.

<sup>2</sup> Include bioretention and infiltration areas in landscaping.

## 6. Selection of Specific Stormwater Control Measures:

### Site Design Measures

- Minimize land disturbed (e.g., protect trees and soil)
- Minimize impervious surfaces (e.g., reduction in post-project impervious surface)
- Minimum-impact street or parking lot design (e.g., parking on top of or under buildings)
- Cluster structures/ pavement
- Disconnected downspouts (direct runoff from roofs, sidewalks, patios to landscaped areas)
- Pervious pavement
- Green roof
- Other self-treating<sup>3</sup> area (e.g., landscaped areas)
- Self-retaining<sup>3</sup> area
- Interceptor trees<sup>3</sup>
- Rainwater harvesting and use (e.g., rain barrel, cistern for designated use)<sup>4</sup>
- Preserved open space: \_\_\_\_\_ ac. or sq. ft. (circle one)
- Protected riparian and wetland areas/buffers (Setback from top of bank: \_\_\_\_\_ ft.)
- Other \_\_\_\_\_

### Source Control Measures

- Wash area/racks, drain to sanitary sewer<sup>5</sup>
- Covered dumpster area, drain to sanitary sewer<sup>5</sup>
- Sanitary sewer connection or accessible cleanout for swimming pool/spa/fountain<sup>5</sup>
- Beneficial landscaping (minimize irrigation, runoff, pesticides and fertilizers; promotes treatment)
- Outdoor material storage protection
- Covers, drains for loading docks, maintenance bays, fueling areas
- Maintenance (pavement sweeping, catch basin cleaning, good housekeeping)
- Storm drain labeling
- Other \_\_\_\_\_

### Treatment Measures

- None (all impervious surface drains to self-retaining areas)

#### *LID Treatment*

- Bioretention area
- Flow-through planter
- Tree Well Filter or Trench with bioretention soils
- Rainwater harvest/use (e.g., cistern or rain barrel for designated use, sized for C.3.d treatment)
- Infiltration trench
- Infiltration well/dry well
- Subsurface Infiltration System (e.g. vault or large diameter conduit over drain rock)
- Other \_\_\_\_\_

---

#### *Non-LID Treatment Methods*

- Proprietary high flow rate tree box filter<sup>6</sup>
- Proprietary high flow media filter (sand, compost, or proprietary media)<sup>6</sup>
- Vegetated filter strip<sup>7</sup>
- Extended detention basin<sup>7</sup>
- Vegetated swale<sup>7</sup>
- Other \_\_\_\_\_

### Flow Duration Controls for Hydromodification Management (HM)

- Extended Detention basin
- Underground tank or vault
- Bioretention with outlet control
- Other \_\_\_\_\_

<sup>3</sup> See SCVURPPP C3 Handbook for definitions.

<sup>4</sup> Optional site design measure; does not have to be sized to comply with Provision C.3.d treatment requirements.

<sup>5</sup> Subject to sanitary sewer authority requirements.

<sup>6</sup> These treatment measures are only allowed if the project qualifies as a "Special Project".

<sup>7</sup> These treatment measures are only allowed as part of a multi-step treatment process (i.e., for pretreatment).

**7. Stormwater Treatment Measure (STM) Sizing for Projects with Treatment Requirements**

Stormwater Treatment Measure (STM)	Hydraulic Sizing Criteria Used*

- \*Key: 1a: Volume – WEF Method  
 1b: Volume – CASQA BMP Handbook Method  
 2a: Flow – Factored Flood Flow Method  
 2b: Flow – CASQA BMP Handbook Method  
 2c: Flow – Uniform Intensity Method  
 3: Combination Flow and Volume Design Basis

**8. Alternative Certification:** Was the treatment system sizing and design reviewed by a qualified third-party professional that is not a member of the project team or agency staff?

Yes     No    Name of Third-party Reviewer \_\_\_\_\_

**9. Operation & Maintenance Information**

A. Property Owner’s Name \_\_\_\_\_  
 B. Responsible Party for Stormwater Treatment/Hydromodification Control O&M:  
     a. Name: \_\_\_\_\_  
     b. Address: \_\_\_\_\_  
     c. Phone/E-mail: \_\_\_\_\_

*This section to be completed by Municipal staff.*

**O&M Responsibility Mechanism**

Indicate how responsibility for O&M is assured. Check all that apply:

O&M Agreement  
 Other mechanism that assigns responsibility (describe below):  
 \_\_\_\_\_

*This section to be completed by Municipal staff (Note: This is an optional section that agencies should modify per their internal review and tracking process.)*

**Reviewed:**

**Community Development Department**

**Planning Division:** \_\_\_\_\_

**Building Division:** \_\_\_\_\_

**Public Works Department**

**Engineering:** \_\_\_\_\_

**Other (Specify):** \_\_\_\_\_

**Return form to:** \_\_\_\_\_

**Data entry performed by:** \_\_\_\_\_